

1. Equipments ≤ 10 kVA, provided with an automatic decoupling system

NOTE: Single phase inverters > 5 kVA are not accepted, unless an exception is permitted by the local DNO (distribution network operator) and explicitly mentioned on its website. See also C10/11 §2.4 (+ footnote 5) and its FAQ question 1.2.

BRAND	SERIES	REFERENCE MODEL or TYPE	FIRMWARE VERSION	maximum AC POWER (VA)	VOLTAGE	
					MONO	TRI
SOFAR	SOFAR 3-6KTLM-G2	SOFAR 3KTLM-G2	Version 1.00	3000	<input checked="" type="checkbox"/>	<input type="checkbox"/>
SOFAR	SOFAR 3-6KTLM-G2	SOFAR 3.6KTLM-G2	Version 1.00	3680	<input checked="" type="checkbox"/>	<input type="checkbox"/>
SOFAR	SOFAR 3-6KTLM-G2	SOFAR 4KTLM-G2	Version 1.00	4000	<input checked="" type="checkbox"/>	<input type="checkbox"/>
SOFAR	SOFAR 3-6KTLM-G2	SOFAR 4.6KTLM-G2	Version 1.00	4600	<input checked="" type="checkbox"/>	<input type="checkbox"/>
SOFAR	SOFAR 3-6KTLM-G2	SOFAR 5KTLM-G2	Version 1.00	5000	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SYNERGRID a.s.b.l. - v.z.w.
 Galerie Ravensteingalerij 3/6
 BE-1000 Bruxelles/Brussel
 T.V.A./B.T.W. BE 0402.956.091



2. Equipments > 10 kVA

BRAND	SERIES	REFERENCE MODEL or TYPE	FIRMWARE VERSION	maximum AC POWER (VA)	VOLTAGE	
					MONO	TRI
			Version x.y		<input type="checkbox"/>	<input type="checkbox"/>
			Version x.y		<input type="checkbox"/>	<input type="checkbox"/>
			Version x.y		<input type="checkbox"/>	<input type="checkbox"/>
			Version x.y		<input type="checkbox"/>	<input type="checkbox"/>